



SUPER GUARD

DUST

Reg. No. L8057 Act No. 36 of 1947

GROUP 1B | 3A INSECTICIDE

An insecticide dusting powder for the control of larger grain borers, grain weevils, and meal moths in stored maize, wheat, sorghum, groundnuts, and beans. Also, for the control of household pests.

'n Insekdoder stuifpoeier vir die beheer van groot graanboorders, graan kalanders, en meelmotte in gebergde mielies, koring, sorghum, grondbone, en droëbone. Beheer ook huishoudelike peste.

Active ingredients / Aktiewe bestanddele:

Pyrimiphos-Methyl (Organophosphate) / Pirimifos-Metiel (Organofosfaat) ... 16 g/kg
Permethrin (Pyrethroid) / Permetrien (Piretroïed) 4g/kg



Registered by / Geregistreer deur:

AVIMA (Pty.) Ltd.

Reg. No. 1961/001744/07

18 Aschenberg Street | Chamdor | Krugersdorp

+27 11 769 1300

Griffon Poison Information Centre: +27 82 446 8946

BATCH NO.:

LOT NR.:

DATE OF MANUFACTURE:

VERVAARDIGINGSDATUM:

EXPIRY DATE:

VERVALDATUM:

UN NO.:

VN NR.:

Content
Inhoud

g

IMPORTANT / BELANGRIK:
Read label before use /
Lees etiket voor gebruik



**CAUTION
VERSIGTIG**





Super Guard Dust

Reg. No. L8057 Act No. 36 of 1947

An insecticide dusting powder for the control of larger grain borers, grain weevils, and meal moths in stored maize, wheat, sorghum, groundnuts, and beans. Also, for the control of household pests.

'n Insekdoder stuifpoeier vir die beheer van groot graanboorders, graan kalanders, en meelmotte in gebergde mielies, koring, sorghum, grondbone, en droëbone. Beheer ook huishoudelike peste.

GROUP 1B | 3A INSECTICIDE

ACTIVE INGREDIENTS / AKTIEWE BESTANDEDELE:

Pirimiphos-Methyl / Pirimifos-Metiel 16 g/kg
(Organophosphate) / (Organofosfaat)
Permethrin (Pyrethroid) / Permetrien (Piretroïed)..... 4 g/kg

Registered by: **Avima** (Pty) Ltd
Co. Reg. No.: 1961/001744/07

P O Box 3131, Kenmare, 1745

Tel: +27 11 769 1300

Griffon Poison Information Centre: +27 82 446 8946



WARNINGS:

- Handle with care
- Store under cool dry conditions away from food and feedstuffs.
- Poisonous if swallowed, by contact or inhalation.
- Keep out of reach of children, uninformed persons, and animals.
- Toxic to bees, fish, and wildlife.
- More effective on unpainted surfaces.

PRECAUTIONS:

- Wear protective clothing during application.
- Avoid inhalation, skin contact, or swallowing dust.
- Wash exposed body parts and clothing after application.
- Do not smoke, eat, or drink while applying the product or before washing hands and face or change of clothing.
- Empty containers must be triple rinsed after use, punctured and recycled. See www.croplife.co.za under waste management for specific guidelines and list of recyclers.
- Never re-use the empty container for any other purpose.

RESISTANCE WARNING:

For resistance management purposes **SUPER GUARD DUST** is classified as a Group Code 1B + 3A insecticide. Any insect population may contain individuals naturally resistant **SUPER GUARD DUST** and other Group Code 1B + 3A insecticides. The resistant individuals can eventually dominate the insect population if these insecticides are used repeatedly.

SUPER GUARD DUST or any other Group 1B + 3A insecticide may not control these resistant insects. To delay insecticide resistance:

- Avoid exclusive repeated use of insecticides from the same insecticide Group Code.
- Alternate or tank mix with products from different insecticide Group Codes,
- Integrate other control methods (chemical, cultural, biological) into insect control programmes.

For specific information on resistance management, contact AVIMA (Pty) Ltd.

SYMPTOMS OF HUMAN POISONING:

Headache, fatigue, nausea, abdominal pains, vomiting, diarrhoea, tightness of the chest, muscle twitching beginning, respiratory distress, and convulsions.

FIRST AID TREATMENT:

- Remove contaminated clothing and wash contaminated body areas with plenty of soap and cold water. Do not rub skin.
- Flush contamination out of eyes with clean water for 15 minutes.
- Do not apply mouth to mouth respiration.
- Never give anything by mouth to an unconscious person.
- Take the patient immediately to the nearest physician and present this label.

NOTE TO PHYSICIAN:

Gastric lavage may be necessary, and the ingestion of activated charcoal may further reduce absorption of the insecticide. Symptomatic treatment is indicated. Atropine may be used as antidote.

DIRECTIONS FOR USE: Use only as indicated.

Pre-treatment store hygiene: (200 g **SUPER GUARD DUST**/20 m²)

Clean the storage bins, baskets, and bags and thoroughly dust with **SUPER GUARD DUST** at the recommended dose rate before filling with grain. Also dust the inside and outer surfaces of bags, storage bins, and baskets.

Grain treatment:

- 1) Add mixture (500 g **SUPER GUARD DUST**/1000 kg grain)
Thoroughly mix the required amount of **SUPER GUARD DUST** with shelled grain by means of a rotating drum type applicator or vibratory type feeder.
- 2) Traditional method (50 g **SUPER GUARD DUST**/90 kg bag of loose grain)
Apply **SUPER GUARD DUST** to the grain before filling the bags or storage bins and baskets. Thoroughly mix the dusting powder with the grain using any suitable device such as a shovel.

Public health:

Household pests (Fleas, bedbugs, cockroaches, and ants): Apply **SUPER GUARD DUST** liberally and evenly to all sites visited by the pests. Do not apply on open food or eating utensils. Do not use on humans or animals.

Important:

Grain treated with **SUPER GUARD DUST** is fit for human consumption after 2 months from date of treatment and will not affect the taste of cooked grain. Properly treated grain will be protected from insects for a period of up to 9 months, depending on the storage conditions. Periodically check the grain to ensure that it is well protected.

